## Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

- 1. (original) A carbon nanotube-dispersed polyimide saturable absorber excellent in an optical quality, obtainable by mixing a carbon nanotube dispersion liquid comprising a carbon nanotube, an amide-based polar organic solvent, and a nonionic surfactant and/or a polyvinylpyrrolidone (PVP) with a mixture solution of a solvent soluble polyimide and an organic solvent.
- (original) The saturable absorber according to claim
   wherein the carbon nanotube is a single-walled carbon
   nanotube.
- 3. (currently amended) The saturable absorber according to claim 1, characterized in that where the amide-based polar organic solvent comprises N-methylpyrrolidone (NMP) and/or dimethylacetamide.

- 4. (currently amended) The saturable absorber according to claim 1, characterized in that where the nonionic surfactant is a polyoxyethylene surfactant.
- 5. (currently amended) The saturable absorber according to claim 1, characterized in that where the content of the nonionic surfactant is 0.005 to 5% by weight in the carbon nanotube dispersion liquid.
- 6. (currently amended) The saturable absorber according to claim 1, characterized in that where the content of the polyvinylpyrrolidone (PVP) is 0.1 to 10% by weight in the carbon nanotube dispersion liquid.
- 7. (currently amended) A method for producing a <u>carbon</u>

  <u>nanotube-dispersed polyimide</u> saturable absorber, <del>characterized</del>

  <del>by</del> comprising the steps of:

dispersing a single walled carbon nanotube in a mixture solution of an amide-based polar organic solvent and a nonionic surfactant under intensive stirring, mixing the resultant dispersion liquid with a polyimide mixed organic solvent, and removing the solvent

mixing a carbon nanotube dispersion liquid comprising a carbon nanotube, an amide-based polar organic solvent, and a

mixture solution of a solvent soluble polyimide and an organic solvent; and

removing the solvent.

8. (currently amended) A method for producing a saturable absorber, characterized by comprising the steps of:

dispersing a single-walled carbon nanotube in a mixture solution of an amide-based polar organic solvent and a nonionic surfactant under intensive stirring; [,]

mixing the resultant dispersion liquid with a polyimide mixed organic solvent; [,] and

removing the solvent.

9. (currently amended) The method for producing a saturable absorber according to claim 7, characterized in that where the obtained single-walled carbon nanotube dispersion liquid is treated with a filter having a retaining particle size of 0.1 to 3.0 µm to obtain a dispersion liquid comprising fine particles of the single-walled carbon nanotube.

10. (new) A method for producing a saturable absorber, comprising the steps of:

dispersing a single-walled carbon nanotube in a mixture solution of an amide-based polar organic solvent and a nonionic surfactant under intensive stirring;

mixing a polyvinylpyrrolidone (PVP) therewith;

mixing the resultant dispersion liquid with a polyimide mixed organic solvent, and

removing the solvent.